

Please renumber pages 22-26 of the original application papers containing the claims as pages 14-18.

In the Abstract:

Please insert the Abstract of the Disclosure attached herewith into the specification as page 19.

REMARKS

The foregoing amendments are presented to place the application in compliance with the sequence rules under 37 CFR 1.821-1.825.

Applicants have submitted a Sequence Listing in both paper and computer readable form as required by 37 C.F.R. 1.821(c) and (e). Amendments directing its entry into the specification have also been incorporated herein. The content of the paper and computer readable copies are the same and no new matter has been added.

The specification has also been carefully reviewed and editorial changes have been effected. All of the changes are minor in nature and therefore do not require extensive discussion. Specifically, the specification headings have been amended in conformance with U.S. practice.

Applicants have also prepared and filed a new Abstract Of The Disclosure based on the Abstract from the International application.


Also, the additional sequences disclosed in Figure 6 of the specification have been incorporated into the new Sequence Listing and labeled in the Brief Description of the Drawings (see Appendix A) in accordance with U.S. practice.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

In view of the foregoing, it is believed that each requirement set forth in the Notice has been satisfied, and that the application is now in compliance with the sequence rules under 37 CFR 1.821-1.825. Accordingly, favorable examination on the merits is respectfully requested.

Respectfully submitted,


Tamas LUKACSOVICH et al.

By: 
Lee Cheng
Registration No. 40,949
Attorney for Applicants

LC/gtg
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
June 27, 2002

APPENDIX "A"

The 5'P end of vector, splice acceptor site of this figure is represented by SEQ ID No: 2. The stop-start seq., Gal4 gene of this figure is represented by SEQ ID No: 3. The mini-white gene of this figure is represented by SEQ ID No: 4. The splice donor site, 3'P end of GT vector of this figure is represented by SEQ ID No: 5. The anterior open cDNA exon 1 of this figure is represented by SEQ ID No: 6. The anterior open cDNA exon 2 of this figure is represented by SEQ ID No: 7. The anterior open exon 1 - Gal 4 fusion cDNA is represented by the combination of SEQ ID No: 6 and 3 in this order. The mini-white-anterior open exon 2 fusion cDNA is represented by the combination of SEQ ID No: 4 and 7 in this order.



Version with Markings to
Show Changes Made

RECEIVED

JUL 08 2002

Description

A Vector for Gene Trap, and A Method for Gene Trapping
by Using The Vector

TECH. CENTER 1600/2900

5

Background of the Invention

1. Technical Field of the Invention

The present invention relates to a new vector system to facilitate the cloning and functional analysis of new genes of a fly, *Drosophila melanogaster*, and a method for gene trapping with the vector system.

2. Description of the Related Art

~~Background Art~~

There are numerous examples for application of gene trapping methods in wide range of living organisms including maize and mouse (Gossler et al., Science, 244:463-465, 1989).

With respect to tools for gene trapping, the application of different types of enhancer trap P-element vectors (Wilson et al., Genes & Development, 3:1301-1313, 1989) for cloning and analyzing trapped genes, as well their use for mosaic analysis with the help of the Gal4/UAS transcription activator system has proven fruitful. However, sometimes the expression pattern of the Gal4 or other reporter gene of the vector construct is affected by enhancers belonging to more than one gene. Similarly, in some cases it is difficult to determine whether the enhancer trap insertion effects the function of one or more of the neighboring genes.

These circumstances altogether with the fact that in some cases the mutant phenotype could be attributed to the

changed expression of a gene with its nearest exon located more than 30 kB apart from the insertion site, can lead in unfortunate cases to an ordeal when it's time to clone and analyze the affected gene.

5 One object of this application is to provide a vector system that includes specifically designed artificial regulatory sequences as well as selection methods for easy screening of positive recombinant lines. More especially, this application intends to provide a vector system of this
10 invention offering much easier and faster cloning opportunities of the affected gene, compared to the widely used enhancer trap P-element vectors. Another object of this application is to provide easier detection method possibilities of the successful trapping events and much
15 higher chance to get more characteristic ("functional") expression patterns of the reporter gene because in the contrary with much of the cases with enhancer trap lines, when using the vector system of this invention, the reporter gene expression is influenced only by a single endogenous
20 transcription unit and effects only the expression of the very same gene.

Summary of the
~~Disclosure~~ of Invention

The first invention of this application is a vector for
25 trapping an unknown gene of *Drosophila melanogaster*, which is a recombinant plasmid comprising the following nucleotide sequences in this order:

an artificial consensus splicing acceptor site;
a synthetic "stop/start" sequence;
30 a reporter gene;

(b) selecting primary transformants for the vector A which are resistant to the drug, and selecting primary transformants for the vector B which have an eye color;

(c) crossing the primary transformants for the vector A with a transposase source strain to force the vector to jump into other locations;

(d) selecting secondary transformants for the vector A by picking up the flies having strong eye color;

(e) crossing the secondary transformants with the primary transformants for the vector B to obtain flies harboring both the vectors A and B;

(f) crossing the flies obtained in the step (e) with an UAS-luciferase harboring fly strain and measuring the reporter gene expression of the resultant flies after a heatshock treatment; and

(g) identifying the trapped gene by cloning and sequencing the cDNAs fused to the reporter gene and the gene responsible for a detectable phenotype of the fly.

Embodiments of the second and third inventions are corresponded to the embodiments of the first invention, and they will be more precisely described in the following description.

Brief Description of Drawings

Figure 1 shows the schematic map of the vector of this invention, pTrap-hsneo.

Figure 2 shows the schematic map of the vector of this invention, pTrap-G4-p53.

Figure 3 shows the schematic map of the vector of this

invention, pCasperhs-G4-LT.

Figure 4 shows the schematic map of the vector of this invention, pTrap-G4-luc.

Figure 5 shows the ^{schematic} ~~schematic~~ drawing of a fly genome to which the vector of this invention is inserted for cloning.

Figure 6 shows the results of sequencing RT-PCR products of aop-Gal4 and m-white-aop fusion mRNAs.

Figure 7 presents pictures of characteristic beta-galactosidase staining patterns in different parts of the fly brain resulted from crossing positive gene trap lines with flies harboring a UAS-lacZ construct.

Description of the Preferred Embodiments Best Mode for Carrying Out the Invention

A vector construct of the first invention, for example, can be based on the commonly used, P-element transformation vector, pCasper3 (Pirodda, Vectors: A survey of molecular cloning vectors and their uses, eds. Rodriguez, R.L. & Denhardt, D.T., Butterworths, Boston. 437-456, 1998) and the convenient Gal4-UAS expression system (Brand and Perrimon, Development, 118:401-415, 1993).

A promoterless Gal4 gene preceded by an artificial consensus splicing acceptor site and a synthetic "stop/start" sequence to govern the read through translation coming from upstream exon(s) of the trapped gene into the proper reading frame of Gal4 was inserted into the polycloning site of pCasper3.

The removal of the whole 3' UTR (untranslated region) sequence of the mini-white gene and replacement by an artificial splicing donor site resulted in a truncated gene without its own poly-adenylation site.

Without a successful gene trapping event this truncated mini-white gene was not expected to confer any eye color, therefore in this invention a heatshock promoter directed neomycin-phosphotransferase (hs-neo) gene for helping
5 selection of primary transformants by antibiotic feeding has been inserted.

Figure 1 shows the schematic map of the gene trap construct (pTrap-hsneo), and SEQ ID No.1 is the complete nucleotide sequence of the vector pTrap-hsneo.

10 Another gene trap construct, pTrap-G4-p53 (Figure 2) is created by replacing the Gal4 coding sequence of plasmid pTrap-hsneo with a Gal4 DNA binding domain-P53 fusion gene (Clontech, Matchmaker Two Hybrid System, #K1605-1). When this construct coexists in the genome of the same fly with another
15 vector, pCasperhs-G4-LT (Figure 3) containing a heatshock promoter directed Gal4 activator domain-large T antigen (Clontech, Matchmaker Two Hybrid System, #K1605-1) fusion gene, the assembly of a functional Gal4 molecule, through p53-large T antigen interaction, can be regulated by external
20 heatshock.

^{In}
~~Or~~ this way, the possibility of an intentional temporary control of Gal4 activity ^{becomes} ~~became~~ available. In other words, the Gal4 expression in a pattern as already determined spatially by the promoter of the trapped gene now can be
25 induced at any desired stage of development by external heatshock.

In order to make the detection of Gal4 expression easier, the Gal4 gene in another construct is replaced with a Gal4-firefly luciferase fusion gene to get pTrap-G4-luc
30 (Figure 4). This artificial gene is coding for a fusion

terminator) instead of its removed ones. They are the most likely candidates for successful gene trap events. In case of these lines the vector probably has been inserted either into an intron of a gene or upstream from the first intron into the 5' UTR in proper orientation (that is the direction of transcription is same for the "trapped gene" and the mini-white (and Gal4) genes as well). The mini-white gene has its own promoter therefore its expression pattern is supposed to be largely independent from that of the trapped gene.

10 These positive lines are to be checked in the next step for Gal4 expression by crossing them with a "marker" line harboring a UAS-luciferase reporter gene construct. (When using pTrap-G4-luc vector, this step is obviously not necessary.) Usually very strong correlation was found between
15 eye color and Gal4 expression: more than 90% of the lines having strong eye color proved to be expressing Gal4 by means of luciferase assay using luminometer (Brandes et al., Neuron, 16:687-692, 1996).

20 (2) Cloning:

 When the gene trap construct is being inserted into an intron of an endogenous gene, the marker genes of the construct are supposed to be spliced ^{at} on mRNA level to the exons of the trapped gene by using the artificial splicing
25 acceptor and donor sites. More exactly while the Gal4 mRNA should be ^{joined} ~~joint~~ to the exon(s) located upstream of the insertion site, at the same time the mini-white mRNA is fused to the following exon(s) accomplishing the dual tagging of the trapped gene (Figure 5).

30 This feature can be used for quickly and easily

by changed expression of gene(s) disturbed by insertion of the P-element. The rescue can be made by expressing the cDNA of the suspected gene most preferable with identical spatial and temporary pattern than that of the gene itself.

5 As it was expected, the vector constructs of the first invention usually cause strong phenotypes. It's not surprising at all because the trapped genes are supposed to be split into two parts on mRNA level resulting in null mutants in majority of the cases. Accordingly mutants
10 obtained by this method frequently show homozygous lethality or sterility. Hypomorphic mutants can be obtained by forcing imprecise excision of the gene trap P-element construct.

As mentioned above, the Gal4 expression is obliged to reflect precisely to that of the trapped gene simply because
15 the Gal4 gene has ^{not} its own promoter and they share a common, fused mRNA.

This identical expression provides unique opportunity to rescue the mutant phenotype by crossing this fly with another one harboring the UAS directed, cloned cDNA of the
20 trapped gene.

^{In} on this way either the original, homozygous null mutant gene trap fly or any transheterozygous derivative of that with some hypomorphic allele over the null mutant allele can be rescued.

25

(4) Determination of spatial and developmental expression.
pattern of the trapped gene:

Histochemical determination of the spatially and temporarily controlled expression of any trapped gene is also
30 easy following introduction of a UAS-lacZ construct into the

particular nucleotides of the artificial regulatory sequences where it was expected.

On Figure 7, there are pictures of characteristic beta-galactosidase staining patterns in different parts of the fly
5 brain resulted from crossing positive gene trap lines with flies harboring a UAS-lacZ construct.

~~Industrial Applicability~~

The vector system of this invention offers an
10 exceptional opportunity for easy and fast cloning of the gene responsible for the observed phenotype. Furthermore, by using the UAS-driven coding sequence of any gene of interest, that particular gene can be expressed in identical patterns than those of the trapped genes and these expressions can be
15 regulated temporarily at any desired developmental stage.

Sequence Listing

<110> Japan Science and Technology Corporation
<120> A Vector for Gene Trap, and A Method for Gene Trapping
20 by Using The Vector
<150> Japan, Application No. 10-141952
<151> 22 May 1998
<160> 1
<170> PatentIn Ver. 2.0
25 <210> 1
<211> 11206
<212> DNA
<213> Artificial sequence
<220>
30 <221> 3' P sequence

- delete*
- <222> (1) .. (237)
<220>
<221> synthetic splicing acceptor site and stop/start
sequence
5 <222> (238) .. (274)
<220>
<221> Gal4 gene (coding region and 3' UTR)
<222> (275) .. (3164)
<220>
10 <221> hsp70 terminator
<222> (3165) .. (3426)
<220>
<221> synthetic junction sequence
<222> 3427-3457
15 <220>
<221> heat shock promoter directed neomycine resistance gene
on complement strand
<222> (3458) .. (4907)
<220>
20 <221> mini-white gene
<222> (4908) .. (8275)
<220>
<221> synthetic splicing donor site
<222> (8276) .. (8299)
25 <220>
<221> 5' P sequence
<222> (8300) .. (8446)
<220>
<221> bacterial part of pCasper3 shuttle vector including
30 complete pUC8 sequence

<222> (8447) .. (11206)

<220>

<221> synthetic DNA

<222> (238) .. (274)

5 (3427) .. (3457)

(4908) .. (4914)

(8276) .. (8299)

<400> 1

catgatgaaa taacataagg tggccccgtc ggcaagagac atccacttaa cgtatgcttg 60
10 caataagtgc gaggtaaagg aatagtattc tgagtgtcgt attgagtctg agtgagacag 120
cgatatgatt gttgattaac ccttagcatg tccgtgggggt ttgaattaac tcataatatt 180
aattagacga aattattttt aaagttttat ttttaataat ttgcgagtac gcaaagctct 240
ttctcttaca ggtcgaattg atgtgatgga tccaatgaag ctactgtctt ctatcgaaca 300
agcatgcgat atttgccgac ttaaaaagct caagtgtccc aaagaaaaac cgaagtgcgc 360
15 caagtgtctg aagaacaact gggagtgtcg ctactctccc aaaacaaaaa ggtctccgct 420
gactagggca catctgacag aagtgaatc aaggctagaa agactggaac agctatttct 480
actgattttt cctcgagaag acctgacat gattttgaaa atggattctt tacaggatat 540
aaaagcattg ttaacaggat tatttgtaca agataatgtg aataaagatg ccgtcacaga 600
tagattggct tcagtggaga ctgatatgcc tctaacattg agacagcata gaataagtgc 660
20 gacatcatca tcggaagaga gtagtaacaa aggtcaaaga cagttgactg tatcgattga 720
ctcggcagct catcatgata actccacaat tccgttgat tttatgcca gggatgctct 780
tcatggattt gattggcttg aagaggatga catgtcggat ggcttgccct tctgaaaaac 840
ggacccaac aataatgggt tctttggcga cggttctctc ttatgtattc ttcatctat 900
tggctttaaa ccggaataat acacgaactc taacgttaac aggtcccga ccatgattac 960
25 ggatagatac acgttggctt ctatgccac aacatccgt ttacttcaa gttatctcaa 1020
taattttcac cctactgcc ctatcgtgca ctaccgacg ctaatgatgt tgtataataa 1080
ccagattgaa atcgogtga aggatcaatg gcaaactcct ttaactgca tattagccat 1140
tggagcctgg tgtatagagg gggaatctac tgatatagat gttttttact atcaaatgc 1200
taaattctcat ttgacgagca aggtcttga gtcaggttcc ataattttgg tgacagccct 1260
30 acatcttctg tcgcgatata cacagtggag gcagaaaaca aatactagct ataattttca 1320

delete

delete

5 cagcttttcc ataagaatgg ccatatcatt gggcttgaat agggacctcc cctcgtcctt 1380
cagtgatagc agcattctgg aacaaagacg ccgaatttgg tggctctgtct actcttggga 1440
gatccaattg tccctgcttt atggctgac catccagctt tctcagaata caatctcctt 1500
cccttcttct gtcgacgatg tgcagcgtac cacaacaggt cccaccatat atcatggcat 1560
cattgaaaca gcaaggctct tacaagtttt cacaaaaatc tatgaactag acaaaacagt 1620
aactgcagaa aaaagtccta tatgtgcaaa aaaatgcttg atgatttgta atgagattga 1680
ggaggtttgc agacaggcac caaagttttt acaaatggat atttccacca ccgctctaac 1740
caatttggtg aaggaacacc cttggctatc ctttacaaga ttogaactga agtggaaca 1800
gttgtctctt atcatttatg tattaagaga ttttttcaact aattttaccc agaaaaagtc 1860
10 acaactagaa caggatcaaa atgatcatca aagttatgaa gttaaagcat gctccatcat 1920
gttaagcgat gcagcacaac gaactgttat gtctgtaagt agctatatgg acaatcataa 1980
tgtcacccca tattttgcct ggaattgttc ttattacttg ttcaatgcag tcttagtacc 2040
cataaagact ctactctcaa actcaaaatc gaatgctgag aataacgaga ccgcacaatt 2100
attacaacaa attaacactg ttctgatgct attaaaaaaa ctggccactt ttaaaatcca 2160
15 gacttgtaaa aaatacattc aagtactgga agaggatatgt gcgccgttgc tgttatcaca 2220
gtgtgcaatc ccattaccgc atatcagtta taacaatagt aatggtagcg ccattaaaaa 2280
tattgtcggg tctgcaacta tcgccaata ccctactctt ccggaggaaa atgtcaacaa 2340
tatcagtgtt aaatatgttt ctctggctc agtagggcct tcacctgtgc cattgaaatc 2400
aggagcaagt ttcaagtac tagtcaagct gttatctaac cgtccacct ctctgaactc 2460
20 tccagtgaca ataccaagaa gcacaccttc gcatcgtca gtcacgcctt ttctagggca 2520
acagcaacag ctgcaatcat tagtgccact gaccccgctt gctttgtttg gtggcgccaa 2580
ttttaatcaa agtggaata ttgctgatag ctcatgtcc ttcaatttca ctaacagtag 2640
caacgggtccg aacctcataa caactcaaac aaattctcaa gcgctttcac aaccaattgc 2700
ctcctctaac gttcatgata acttcatgaa taatgaaatc acggctagta aaattgatga 2760
25 tggtataaat tcaaaaccac tgtcacctgg ttggacggac caaactgcgt ataacgcgtt 2820
tggaatcact acagggatgt ttaataccac tacaatggat gatgtatata actatctatt 2880
cgatgatgaa gatacccccac caaacccaaa aaaagagtaa aatgaatcgt agatactgaa 2940
aaaccccgca agttcacttc aactgtgcat cgtgcaccat ctcaatttct ttcatattata 3000
catcgttttg ccttctttta tgtaactata ctctctaag tttcaatctt ggccatgtaa 3060
30 cctctgatct atagaatttt ttaaatgact agaattaatg cccatctttt ttttgacct 3120

aaattcttca tgaaaatata ttacgagggc ttattcagaa gcttatcgat accgtcgact 3180
aaagccaaat agaaattatt cagttctggc ttaagttttt aaaagtata ttatttattt 3240
ggttgtaacc aaccaaaga atgtaaataa ctaatacata attatgtag ttttaagta 3300
gcaacaaatt gatttttagct atattagcta cttggttaat aaatagaata tattttattt 3360
5 aagataattc gtttttattg tcaggagtg agtttgctta aaaactcgtt tagatccact 3420
agaaggaccg cggctcctcg accggatcga aaggagggcg aagaactcca gcatgagatc 3480
cccgcgtgg aggatcatcc agccggcgtc ccggaaaacg attccgaagc ccaacctttc 3540
atagaaggcg gcggtggaat cgaaatctcg tgatggcagg ttgggcgtcg cttggtcggt 3600
catttcgaac ccagagtcg cgctcagaag aactcgtcaa gaaggcgata gaaggcgatg 3660
10 cgctgcgaat cgggagcggc gataccgtaa agcacgagga agcggtcagc ccattcgccg 3720
ccaagctctt cagcaatatc acgggtagcc aacgctatgt cctgatagcg gtccgccaca 3780
cccagccggc cacagtcgat gaatccagaa aagcggccat tttccaccat gatattcggc 3840
aagcaggcat cgccatgggt cacgacgaga tcctcgccgt cgggcagtcg cgccttgagc 3900
ctggcgaaca gttcggctgg cgcgagcccc tgatgctctt cgtccagatc atcctgatcg 3960
15 acaagaccgg cttccatccg agtacgtgct cgctcgatgc gatgtttcgc ttgggtggcg 4020
aatgggcagg tagccggatc aagcgtatgc agccgccgca ttgcatcagc catgatggat 4080
actttctcgg caggagcaag gtgagatgac aggagatcct gccccggcac ttcgccaat 4140
agcagccagt cccttcccgc ttcagtgaca acgtcgagca cagctgcgca aggaacgccc 4200
gtcgtggcca gccacgatag ccgcgctgcc tcgtcctgca gttcattcag ggcaccggac 4260
20 aggtcgggtct tgacaaaaag aaccgggcgc cctgcgctg acagccggaa cacggcggca 4320
tcagagcagc cgattgtctg ttgtgcccag tcatagccga atagcctctc cacccaagcg 4380
gccggagaac ctgcgtgcaa tccatcttgt tcaatcatgc gaaacgatcc tcatcctgtc 4440
tcttgatcag atcccctatt cagagttctc ttcttgatt caataattac ttcttgagc 4500
atttcagtag ttgcagttga ttacttggt tgctggttac ttttaattga ttcactttaa 4560
25 cttgcacttt actgcagatt gtttagcttg ttcagctgcg cttgtttatt tgcttagctt 4620
tcgcttagcg acgtgttcac tttgcttggt tgaattgaat tgctgctccg tagacgaagc 4680
gcctctattt atactccggc gctcttttcg cgaacattcg aggcgcgctc tctcgaacca 4740
acgagagcag tatgccgttt actgtgtgac agagtgcgag agcattagtg cagagaggga 4800
gagacccaaa aagaaaagag agaataacga ataacggcca gagaaatttc tcgagttttc 4860
30 tttctgcaa acaaatgacc taccacaata accagtttgt tttgggatct agtccctaata 4920

delete

delete

	tctagtatgt atgtaagtta ataaaaccct tttttggaga atgtagattt aaaaaaacat	4980
	atTTTTTTTT tatttttttac tgcactggac atcattgaac ttatctgac agtttttaaat	5040
	ttacttcgat ccaagggtat ttgaagtacc aggttctttc gattacctct cactcaaaat	5100
	gacattccac tcaaagtcag cgctgtttgc ctcttctct gtccacagaa atatcgccgt	5160
5	ctctttcgcc gctgcgtcog ctatctcttt cgccaccgtt tgtagcgtta cctagcgtca	5220
	atgtccgcct tcagttgcac tttgtcagcg gtttcgtgac gaagctccaa gcggtttacg	5280
	ccatcaatta aacacaaagt gctgtgccaa aactcctctc gcttcttatt tttgtttgtt	5340
	ttttgagtga ttggggtggt gattggtttt ggggtggtaa gcaggggaaa gtgtgaaaaa	5400
	tcccggcaat gggccaagag gatcaggagc tattaattcg cggaggcagc aaacacccat	5460
10	ctgccgagca tctgaacaat gtgagtagta catgtgcata catcttaagt tcaattgac	5520
	tataggaact gcgattgcaa catcaaattg tctgcggcgt gagaactgcg acccacaaaa	5580
	atcccaaacc gcaatcgac aaacaaatag tgacacgaaa cagattattc tggtagctgt	5640
	gctcgctata taagacaatt ttttaagatca tatcatgac aagacatcta aaggcattca	5700
	ttttcgacta cattcttttt tacaaaaaat ataacaacca gatattttta gctgaccta	5760
15	gatgcacaaa aaataaataa aagtataaac ctacttcgta ggatacttcg tttgttcgg	5820
	ggttagatga gcataacgct tgtagttgat atttgagac ccctatcatt gcagggtgac	5880
	agcggacgct tcgcagagct gcattaacca gggcttcggg caggccaaaa actacggcac	5940
	gctcctgcca ccagtcgcg cggaggactc cggttcaggg agcggccaac tagccgagaa	6000
	cctcacctat gcctggcaca atatggacat ctttggggcg gtcaatcagc cgggctccgg	6060
20	atggcggcag ctggtcaacc ggacacgcgg actattctgc aacgagcgac acataccggc	6120
	gcccaggaaa catttgctca agaacggtga gtttctattc gcagtcggct gatctgtgtg	6180
	aaatcttaat aaagggtcca attaccaatt tgaaactcag tttgcggcgt ggcctatccg	6240
	ggcgaacttt tggccgtgat gggcagttcc ggtgccggaa agacgacct gctgaatgcc	6300
	cttgcccttc gatcgccgca gggcatccaa gtatcgccat ccgggatgcg actgctcaat	6360
25	ggccaacctg tggacgccaa ggagatgcag gccagggtgc cctatgtcca gcaggatgac	6420
	ctctttatcg gctccctaac ggccagggaa cacctgattt tccaggccat ggtgcggatg	6480
	ccacgacatc tgacctatcg gcagcgagtg gcccgctgg atcagggtgat ccaggagctt	6540
	tcgctcagca aatgtcagca cacgatcatc ggtgtgcccg gcagggtgaa aggtctgtcc	6600
	ggcggagaaa ggaagcgtct ggcattcgcc tccgaggcac taaccgatcc gccgcttctg	6660
30	atctgcgatg agcccacctc cggactggac tcatttaccg cccacagcgt cgtccagggtg	6720

delete

	ctgaagaagc tgtcgcagaa gggcaagacc gtcacccctga ccattcatca gccgtcttcc	6780
	gagctgtttg agctctttga caagatcctt ctgatggccg agggcagggt agctttcttg	6840
	ggcactccca gcgaagccgt cgacttcttt tcctagttag ttcatgtgt ttattaagg	6900
	tatctagcat tacattacat ctcaactcct atccagcgtg ggtgccaggt gtcctaccaa	6960
5	ctacaatccg gcggactttt acgtacaggt gttggccgtt gtgcccggac gggagatcga	7020
	gtcccgtgat cggatcgcca agatatcgca caattttgct attagcaaag tagcccggga	7080
	tatggagcag ttgttggcca ccaaaaattt ggagaagcca ctggagcagc cggagaatgg	7140
	gtacacctac aaggccacct ggttcatgca gttccgggcg gtcctgtggc gatcctggct	7200
	gtcgggtgctc aaggaaccac tcctcgtaaa agtgcgactt attcagacaa cggtgagtgg	7260
10	ttccagtgga aacaaatgat ataacgctta caattcttgg aaacaaattc gctagatttt	7320
	agttagaatt gcctgattcc acacccttct tagttttttt caatgagatg tatagtttat	7380
	agttttgcag aaaataaata aatttcattt aactcgcgaa catgttgaag atatgaatat	7440
	taatgagatg cgagtaacat ttttaatttgc agatggttgc catcttgatt ggcctcatct	7500
	ttttgggcca acaactcagc caagtgggcg tgatgaatat caacggagcc atcttcctct	7560
15	tcctgaccaa catgaccttt caaaacgtct ttgccacgat aaatgtaagt ctgttttaga	7620
	atacatttgc atattaataa ttactaact ttctaataa tcgattcgat ttaggtgttc	7680
	acctcagagc tgccagtttt tatgaggag gcccgagtc gactttatcg ctgtgacaca	7740
	tactttctgg gcaaaacgat tgccgaatta ccgctttttc tcacagtgcc actggtcttc	7800
	acggcgattg cctatccgat gatcggactg cgggccggag tgctgcactt cttcaactgc	7860
20	ctggcgctgg tcaactctggg ggccaatgtg tcaacgtcct tcggatatct aatatcctgc	7920
	gccagctcct cgacctcgat ggcgctgtct gtgggtccgc cggttatcat accattcctg	7980
	ctctttggcg gcttcttctt gaactcgggc tcggtgccag tatacctcaa atggttgcg	8040
	tacctctcat ggttccgtta cgccaacgag ggtctgctga ttaaccaatg ggccgacgtg	8100
	gagccgggcg aaattagctg cacatcgtcg aacaccacgt gccccagttc gggcaaggtc	8160
25	atcctggaga cgcttaactt ctccgccgcc gatctgccgc tggactacgt gggctctggc	8220
	attctcatcg tgagcttccg ggtgctcgca tatctggctc taagacttcg ggcccagcgc	8280
	aaggagtaga aggtaagtag cggccgcacg taagggttaa tgttttcaaa aaaaaattcg	8340
	tccgcacaca accttccctc tcaacaagca aacgtgcact gaatttaagt gtatacttcg	8400
	gtaagcttcg gctatcgacg ggaccacctt atgttatttc atcatgggcc agaccacgt	8460
30	agtccagcgg cagatcggcg gcggagaagt taagcgtctc caggatgacc ttgcccgaac	8520

5 tggggcacgt ggtgttcgac gatgtgcagc taatttcgcc cggtccacg tccgcccatt 8580
ggttaatcag cagaccctcg ttggcgtaac ggaaccatga gaggtacgac aaccatttga 8640
ggtatactgg caccgagccc gagttcaaga agaaggcgtt ttccatagg ctccgcccc 8700
ctgacgagca tcacaaaaat cgacgtcaa gtcagaggtg gcgaaacccg acaggactat 8760
aaagatacca ggcgtttccc cctggaagct cctcgtgcg ctctcctgtt ccgaccctgc 8820
cgcttaccgg atacctgtcc gcctttctcc ctccgggaag cgtggcgctt tctcaatgct 8880
cacgtgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg 8940
aaccccccg tccgcccagc cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc 9000
cggtaaagaca cgacttatcg ccactggcag cagccactgg taacaggatt agcagagcga 9060
10 ggtatgtagg cgggtgctaca gatttcttga agtggtggcc taactacggc tacactagaa 9120
ggacagtatt tggatatctgc gctctgctga agccagttac ctccggaaaa agagtttgta 9180
gctcttgatc cggcaaaaaa accaccgctg gtagcggtag tttttttgtt tgcaagcagc 9240
agattacgag cagaaaaaaa ggatctcaag aagatccttt gatcttttct acgggggtctg 9300
acgctcagtg gaacgaaaac tcacgttaag ggatttttgt catgagatta tcaaaaagga 9360
15 tcttcaccta gatcctttta aattaaaaat gaagttttta atcaatctaa agtatatatg 9420
agtaaacttg gtctgacagt taccaatgct taatcagtga ggcacctatc tcagcgatct 9480
gtctatttcg ttcattcata gttgcctgac tcccgcgtgt gtagataact acgatacggg 9540
agggcttacc atctggcccc agtgctgcaa tgataccgag agaccacagc tcacoggctc 9600
cagatttatc agcaataaac cagccagccg gaagggccga gcgcagaagt ggtcctgcaa 9660
20 ctttatccgc ctccatccag tctattaatt gttgccggga agctagagta agtagttcgc 9720
cagttaatag ttgcgcaac gttgttgcca ttgctacagg catcgtggtg tcacgctcgt 9780
cgtttggtat ggcttcattc agctccggtt cccaacgac aaggcgagtt acatgatccc 9840
ccatgttggt caaaaaagcg gttagctcct tcggtcctcc gatcgttgctc agaagtaagt 9900
tgcccgagct gttatcactc atggttatgg cagcactgca taattctctt actgtcatgc 9960
25 catccgtaag atgcttttct gtgactgggt agtactcaac caagtcattc tgagaatagt 10020
gtatgcggcg accgagttgc tcttgcccgg cgtcaacacg ggataatacc gcgccacata 10080
gcagaacttt aaaagtgtc atcattggaa aacgttcttc ggggcgaaaa ctctcaagga 10140
tcttaccgct gttgagatcc agttcgatgt aaccactcgc tgacccaac tgatcttcag 10200
catcttttac tttcaccagc gtttctgggt gagcaaaaac aggaaggcaa aatgccgcaa 10260
30 aaaagggaat aagggcgaca cggaatggt gaatactcat actcttcctt tticaatatt 10320

delete

attgaagcat ttatcagggt tattgtctca tgagcggata catatttgaa tgtatttaga 10380
aaaataaaca aataggggtt ccgcgcacat ttccccgaaa agtgccacct gacgtctaag 10440
aaaccattat tatcatgaca ttaacctata aaaataggcg tatcacgagg ccctttcgtc 10500
tcgcgcgttt cggatgatgac ggtgaaaacc tctgacacat gcagctcccg gagacgggtca 10560
5 cagcttgtct gtaagcggat gccgggagca gacaagcccg tcagggcgcg tcagcgggtg 10620
ttggcgggtg tcggggctgg cttaactatg cggcatcaga gcagattgta ctgagagtgc 10680
accatatgcg gtgtgaaata ccgcaccgaa tcgcgcggaa ctaacgacag tcgctccaag 10740
gtcgtcgaac aaaaggtgaa tgtgttgagg agagcgggtg ggagacagcg aaagagcaac 10800
tacgaaacgt ggtgtggtgg aggtgaatta tgaagagggc gcgcgatttg aaaagtatgt 10860
10 atataaaaaa tatatcccg tgttttatgt agcgataaac gagtttttga tgtaaggtat 10920
gcagggtgtgt aagtcttttg gttagaagac aaatccaaag tctacttggt gggatgttcg 10980
aaggggaaat acttgattc tataggtcat atcttgtttt tattggcaca aatataatta 11040
cattagcttt ttgagggggc aataaacagt aaacacgatg gtaataatgg taaaaaaaaa 11100
aacaagcagt tatttcggat atatgtcggc tactccttgc gtcgggcccg aagtcttaga 11160
15 gccagatatg cgagcaccg gaagctcacg atgagaatgg ccagac 11206

delete

CLAIMS

What is claimed is:

1. A vector for trapping an unknown gene of *Drosophila melanogaster*, which is a recombinant plasmid comprising the following nucleotide sequences in this order:
 - an artificial consensus splicing acceptor site;
 - a synthetic "stop/start" sequence;
 - a reporter gene;
 - a drug resistance gene;
 - a gene responsible for a detectable phenotype of the *Drosophila melanogaster*; and
 - a synthetic splicing donor site.
2. The vector of claim 1, wherein the recombinant plasmid is derived from pCasper3.
3. The vector of claim 1 or 2, wherein the reporter gene is the Gal4 gene.
4. The vector of claim 3, which has the nucleotide sequence of SEQ ID No. 1.
5. The vector of claim 1 or 2, wherein the reporter gene is Gal4 DNA binding domain-P53 fusion gene.
6. The vector of claim 1 or 2, wherein the reporter gene is the Gal4-firefly luciferase fusion gene.
7. The vector of any one of claims 1-6, wherein the gene responsible for a detectable phenotype of the *Drosophila melanogaster* is mini-white gene.

8. The vector of any one of claims 1-7, wherein the drug resistance gene is neomycin-phosphotransferase gene and its promoter is a heatshock promoter.

5

9 A vector derived from pCasperhs, which has the heatshock promoter directed Gal4 activator domain-large T antigen fusion gene within polycloning site of the pCasperhs.

10 10. A method for trapping an unknown gene of *Drosophila melanogaster* by using a vector which is a recombinant plasmid comprising the following nucleotide sequences in this order:
an artificial consensus splicing acceptor site;
a synthetic "stop/start" sequence;
15 a reporter gene;
a drug resistance gene;
a gene responsible for a detectable phenotype of the *Drosophila melanogaster*; and
a synthetic splicing donor site,

20

which method comprises the steps of:

- (a) introducing the vector into the genome of a white minus fly;
- (b) selecting primary transformants resistant to a drug;
- (c) crossing the primary transformants with a transposase
25 source strain to force the vector to jump into other locations;
- (d) selecting secondary transformants by picking up the flies having strong eye color,
- (e) crossing the secondary transformants with UAS (Upstream
30 Activator Sequence)-luciferase harboring strain and measuring

24 16

the reporter gene expression of the resultant flies; and

(f) identifying the trapped gene by cloning and sequencing the cDNAs fused to the reporter gene and the gene responsible for a detectable phenotype of the fly.

5

11. The method according to claim 10, wherein the recombinant plasmid is derived from pCasper3.

10 12. The method according to claim 10 or 11, wherein the reporter gene in the vector is the Gal4 gene, and in the step (e) the Gal4 expression is measured.

15 13. The method according to claim 10 or 11, wherein the reporter gene of the vector is the Gal4-firefly luciferase fusion gene, and in the step (e) expression of said fusion gene is measured without crossing the secondary transformants with UAS-luciferase harboring strain.

20 14. The method according to any one of claims 10 to 14, wherein the gene responsible for a detectable phenotype of the *Drosophila melanogaster* is mini-white gene, and in the step (f) the cDNAs fused to the reporter gene and the mini-white gene are cloned and sequenced.

25 15. The method according to any one of claims 10 to 15, wherein the drug resistance gene is neomycin-phosphotransferase gene and its promoter is a heatshock promoter, and in the step (b) the transformants resistant to G418 is selected.

30 16. A method for trapping an unknown gene of *Drosophila*

melanogaster by using a vector A which is a recombinant plasmid comprising the following nucleotide sequences in this order:

- an artificial consensus splicing acceptor site;
- 5 a synthetic "stop/start" sequence;
- Gal4 DNA binding domain-P53 fusion gene as a reporter gene;
- a drug resistance gene;
- a gene responsible for a detectable phenotype of the *Drosophila melanogaster*; and

- 10 a synthetic splicing donor site,
- and a vector B derived from pCasperhs, which has the heatshock promoter directed Gal4 activator domain-large T antigen fusion gene within polycloning site of the pCasperhs,

which method comprises the steps of:

- 15 (a) introducing each of the vectors A and B into the genomes of separate white minus flies;
- (b) selecting primary transformants for the vector A which are resistant to a drug, and selecting primary transformants for the vector B which have an eye color;
- 20 (c) crossing the primary transformants for the vector A with a transposase source strain to force the vector to jump into other locations;
- (d) selecting secondary transformants for the vector A by picking up the flies having strong eye color;
- 25 (e) crossing the secondary transformants with the primary transformants for the vector B to obtain flies harboring both the vectors A and B;
- (f) crossing the flies obtained in the step (e) with an UAS-luciferase harboring fly strain and measuring the
- 30 reporter gene expression of the resultant flies after a

heatshock treatment; and

(g) identifying the trapped gene by cloning and sequencing the cDNAs fused to the reporter gene and the gene responsible for a detectable phenotype of the fly.

5

17. The method according to claim 16, wherein the vector A is derived from pCasper3.

10 18. The method according to claim 16 or 17, wherein the gene responsible for a detectable phenotype of the *Drosophila melanogaster* is mini-white gene, and in the step (g) the cDNAs fused to the reporter gene and the mini-white gene are cloned and sequenced.

15 19. The method according to any one of claims 16 to 18, wherein the drug resistance gene is neomycin-phosphotransferase gene and its promoter is a heatshock promoter, and in the step (b) the transformant resistant to G418 is selected.